

# DESIGN REVIEW BOARD APPLICATION

## Administered by: Design Review Board

Property Address*: 1277 Decatur
Applicant Name & Mailing Address: Kerry Clay 203 Cedar Avenue 38107
Applicant Phone Number: 901-848-6679 Applicant Fax Number: N/A
Property Owner's Name & Mailing Address: Beverly Clay 3740 Winderwood Circle 38128
Property Owner's Phone Number: 273 - 965-0092
The proposed work consists of the following (check all that apply):  Sign □ Renovation□  New Building □ Other Exterior Alteration□
Project Description: • Entrance cloors will be painted red . Metal gate over the gardoors will be painted black. The grate over the windows will be removed but interior metal bars will remain. • The flower beds will have Lantana.
tatus of Project:
complete application must be submitted to the Development Department no later than three reeks before a regularly scheduled meeting of the Design Review Board. Please submit the application of the any necessary attachments to designreview@downtownmemphis.com. Questions can also be e-mailed to esignreview@downtownmemphis.com, or you can reach Planning & Development staff at (901) 575 - 0540.
vner/Applicant Signature:  te: 5-21-24  **Eury Cloy  te: 5-21-24

from the Landmarks Commission. Please contact the Shelby County Division of Planning & Developement at


(901) 576-6601 for more information.


























## 1277 Decatur (Clayhouse) - Good Neighbor Grant - Design Details

## East Façade

- Preparation
  - o Remove damaged chain link fence
  - Remove old lighting fixtures over entrances
  - Pick up debris and litter
  - Remove weeds
- Gutter system
  - o Install 2 down spouts
  - Install 2 collector boxes
- Brick
  - Clean and repair
- Garage Doors
  - o Install 10' x 10' insulated steel door to replace existing door on left side
  - Metal gate clean, mend as needed, and paint black
- Entrance Door
  - Cut out metal door that is welded closed
  - Install new hardware
  - o Paint red
- Driveway
  - Remove concrete from left loading dock, backfill, and pour with concrete (4 inch,
     3500 psi, reinforced with wire mesh) and add an apron
  - o Dig out center 21' x 23' dirt patch, leaving 3' x 8' area near building for a flower bed
  - o Replace apron on right side
- Landscaping
  - o Lantana or other shrubby perennial
- Lighting
  - o Existing lighting is solar powered and over garage door entrances
- Signage
  - 4' x 8' Metal sign attached to building

### North & South Façade

- Brick
  - Clean and repair
- Windows
  - Replace missing glazing (61 panels total)
- Mural on south wall near the windows
  - o Kerry will prep the wall
  - o Hire local artist to paint mural